

Rating Letter - Intimation of Rating Action

Letter Issued on : November 30, 2023 Letter Expires on : April 14, 2024 Annual Fee valid till : April 14, 2024

SICAGEN INDIA LIMITED

4th Floor, No.88, S P I C House, Mount Road, Guindy Chennai 600032 TAMIL NADU

Kind Attn.: M O Ayyappan, Chief Financial Officer (Tel. No.9840751371)

Sir / Madam,

Sub.: Rating(s) - Bank Loans of SICAGEN INDIA LIMITED

Please note that the current rating(s) and outlook, instrument details, and latest rating action for the aforementioned instrument are as under:

Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating
Bank Loan Ratings	27.00	ACUITE BBB Stable Upgraded	-
Bank Loan Ratings	16.00	-	ACUITE A3+ Upgraded
Total Outstanding Quantum (Rs. Cr)	43.00	-	-

5W] freserves the right to revise the rating(s), along with the outlook, at any time, on the basis of new information, or other circumstances which 5W] freserves may have an impact on the rating(s). Such revisions, if any, would be appropriately disseminated by 5W] freserved under prevailing SEBI guidelines and 5W] freserves.

This letter will expire on **April 14**, **2024** or on the day when 5W **]** f takes the next rating action, whichever is earlier. It may be noted that the rating(s) is subject to change anytime even before the expiry date of this letter. Hence lenders / investors are advised to visit <u>https://www.acuite.in/</u> OR scan the QR code given above to confirm the current outstanding rating(s).

5W Jbf will re-issue this rating letter on April 15, 2024 subject to receipt of surveillance fee as applicable. If the rating(s) is reviewed before April 14, 2024, 5W Jbf will issue a new rating letter.

Please note that under extant SEBI regulations and as per the terms of the rating agreement, once a rating is accepted and outstanding, the issuer is required to promptly furnish the INo Default StatementDon the first working day of every month.

Sd/-Chief Rating Officer

This is a system generated document. No signature is required.

5bbYI i fYg. 5"8YhU]gcZh\YFUhYX aghfi a Ybh



Scan this QR Code to verify authenticity of this



Lender's Name	Facilities	Scale	Amt. (Rs. Cr)	Rating Assigned (Outlook) Rating Action
HDFC Bank Ltd	Cash Credit	Long-term	17.00	ACUITE BBB Stable Upgraded
HDFC Bank Ltd	Bills Discounting	Short-term	10.00	ACUITE A3+ Upgraded
Not Applicable	Proposed Long Term Bank Facility	Long-term	10.00	ACUITE BBB Stable Upgraded
HDFC Bank Ltd	Bank Guarantee (BLR)	Short-term	6.00	ACUITE A3+ Upgraded
Total Facilities			43.00	-

DISCLAIMER

An 5W Jf rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. 5W Jf ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, 5W Jf, in particular, makes no representation or k UffUbIm2YI dfYggYX cf Ja d JYX k Jh fYgdYWinc h Y UXYei UWM2 UWW fUWnicf Wda d YHYbYgg cZh Y JbZ fa Ufjcb fY JYX i dcb" 5W Jf is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings.5W Jf ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website (www.acuite.in) for the latest information on any instrument rated by 5W Jf , 5W Jf B rating scale and its definitions.

Any inadvertent omission or error in the rating letter which is discovered or brought to the notice of Acuite shall be rectified as soon as reasonably practicable not later than 48 hours of such discovery or notice. Such error or omission shall not render Acuite liable to any person for any kind of loss or damage including, but not limited to, any special, incidental, indirect or consequential damages caused by errors or omissions, provided such omission or error is rectified as soon as possible after discovery/notice.